



### REPORT No.: R2SH160628F0387E

Date: July 12, 2016

Page 1 of 10

Shanghai MXCHIP Information Technology Co., Ltd. 9th Floor, No.5, Lane 2145 Jinshajiang Road, Putuo District, Shanghai

Report on the submitted samples said to be:

Sample Name	:	EMW5088
Style/ Item No.	:	EMW5088-P, EMW3088-E
Sample Receiving Date	:	June 28, 2016
Testing Period	:	From June 28, 2016 to July 6, 2016
Results	:	Please refer to next page(s).

\*\*\*\*\*

#### Summary of Test Results:

#### **TEST REQUEST**

A EU RoHS Directive 2011/65/EU and its amendment directives -XRF and Chemical test(Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs & PBDEs content) Pass

Phthalates(DBP、BBP、DEHP、DIBP)content

Signed for and on behalf of BACL

Checked by:

Jane/Xu **Technical Supervisor** 

Approved by:

William Wei Laboratory Manager

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)69 # Pulongcun,Puxinhu Industrial Zone,Tangxia Town Dongguan, Guangdong, ChinaTel: +86-769-86858888Fax: +86-769-86858891

## **CONCLUSION**

\_

Pass





### REPORT No.: R2SH160628F0387E

Date: July 12, 2016

Page 2 of 10

**Results:** 

#### A、EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC62321-3-1:2013 screening by X-ray Fluorescence Spectroscopy (XRF)

Seq.		Results						
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br		
1	White plastic with black printing(label)①②	BL	BL	BL	BL	BL		
2	Silvery metal(shield)①②	BL	BL	BL	BL			
3	Black body(IC)①②	BL	BL	BL	BL	BL		
4	Silvery body(crystal)①②	BL	BL	BL	BL	BL		
5	Black body(EC"U2")12	BL	BL	BL	BL	BL		
6	Black body(EC"U4")①②	BL	BL	BL	BL	BL		
7	Brown body(capacitor)12	BL	BL	BL	BL	BL		
8	Black/white body(resistor)①②	BL	BL	BL	BL	BL		
9	White body(EC"U5")①②	BL	BL	BL	BL	BL		
10* <sup>1</sup>	Coffee body(crystal)①②	OL	BL	BL	BL	BL		
11	Grey body(inductor"L1")①②	BL	BL	BL	BL	BL		
12	Black body(diode)①②	BL	BL	BL	BL	BL		
13	Black body(triode)①②	BL	BL	BL	BL	BL		
14	Black body(EC"P1")①②	BL	BL	BL	BL	BL		
15	Black body(EC"U1")①②	BL	BL	BL	BL	BL		
16	White body (LED) 12	BL	BL	BL	BL	BL		
17	White plastic(shell, socket)①②	BL	BL	BL	BL	BL		
18	Golden metal with silvery plating(pin, socket)①②	BL	BL	BL	BL			
19	Silvery metal(fixer, socket)①②	BL	BL	BL	BL			

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Tel: +86-769-86858888 Fax: +86-769-86858891





### REPORT No.: R2SH160628F0387E

Date: July 12, 2016

Page 3 of 10

Seq.	Tested Part(s)	Results						
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br		
20	Golden metal(shell, antenna pedestal)①②	BL	BL	BL	BL			
21*	Blue PCB(1)2	BL	BL	BL	BL	IN		
22	Silvery solder(PCB)12	BL	BL	BL	BL			
23	Black plastic(antenna pedestal)①	BL	BL	BL	BL	BL		
24	Golden metal(pin, antenna pedestal)②	BL	BL	BL	BL			
25	Beige plastic(antenna pedestal)2	BL	BL	BL	BL	BL		

Remark: ①EMW5088-P ②EMW5088-E

- -- = Not Conducted
- \* = Screening by XRF and detected by chemical method. The test results of chemical method please refer to next pages.
  \*1
- As claimed by the material declaration submitted by the client, the materials of the sample No.10 is ceramic. And according to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).

\*\*\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.





### REPORT No.: R2SH160628F0387E

Date: July 12, 2016

Page 4 of 10

Remark:

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC62321-3-1:2013.

Element	Unit	Polymers	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ<Χ <130+3σ≤OL	BL≤70-3σ <x &lt;130+3σ≤OL</x 	LOD <x &lt;150+3σ≤OL</x 
Pb	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Hg	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Cr	mg/kg	BL≤700-3σ<Χ	BL≤700-3σ<Χ	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ<Χ		BL≤250-3σ<Χ

Note:

BL

= Below Limit

OL = Over Limit

IN = Inconclusive (questionable, need further chemical analysis)

LOD = Limit of Detection

- (2) The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the RoHS directive 2011/65/EU:

\*\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.





### REPORT No.: R2SH160628F0387E

Date: July 12, 2016

Page 5 of 10

<b>RoHS Restricted Substances</b>	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenylethers (PBDEs)	1000

Remark :

(4) As requested by applicant, only components shown in this report were screened by XRF spectroscopy for 2011/65/EU and its amendment directives, other components were not screened included in this report.

(5) Photo appendix is included.

#### Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

#### The Test Results of Chemical Method:

Test method:

PBBs & PBDEs Content: With reference to IEC 62321 Ed 1.0:2008 Annex A, by solvent extraction and analysis was Performed by gas chromatographic-mass spectrometer (GC-MS)

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.





### REPORT No.: R2SH160628F0387E

Date: July 12, 2016

Page 6 of 10

1) The test results of PBBs & PBDEs

Item	Unit	MDL	Results	Limit	
item	Unit	WIDL	21		
Polybrominated Biphenyls (PBBs)					
Monobromobiphenyl	mg/kg	5	N.D.		
Dibromobiphenyl	mg/kg	5	N.D.		
Tribromobiphenyl	mg/kg	5	N.D.		
Tetrabromobiphenyl	mg/kg	5	N.D.		
Pentabromobiphenyl	mg/kg	5	N.D.		
Hexabromobiphenyl	mg/kg	5	N.D.		
Heptabromobiphenyl	mg/kg	5	N.D.		
Octabromobiphenyl	mg/kg <	5	N.D.		
Nonabromodiphenyl	mg/kg	5	N.D.		
Decabromodiphenyl	mg/kg	5	N.D.		
Total content	mg/kg	1	N.D.	1000 mg/kg	
Polybrominated Diphenylethers (PBDEs)(Mon-Deca)					
Monobromodiphenyl ether	mg/kg	5	N.D.		
Dibromodiphenyl ether	mg/kg	5	N.D.		
Tribromodiphenyl ether	mg/kg	5	N.D.		
Tetrabromodiphenyl ether	mg/kg	5	N.D.		
Pentabromodiphenyl ether	mg/kg	5	N.D.		
Hexabromodiphenyl ether	mg/kg	5	N.D.		
Heptabromodiphenyl ether	mg/kg	5	N.D.		
Octabromodiphenyl ether	mg/kg	5	N.D.		
Nonabromodiphenyl ether	mg/kg	5	N.D.		
Decabromodiphenyl ether	mg/kg	5	N.D.		
Total content	mg/kg	1	N.D.	1000 mg/kg	
Conclusion	1	1	Pass		

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.





### REPORT No.: R2SH160628F0387E

Date: July 12, 2016

Page 7 of 10

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit
- The results less than MDL are not taken into account while calculating the sum contents.
- Photo appendix is included.

#### 3. Phthalates(DBP、BBP、DEHP、DIBP)content

<u>Test method:</u> With reference to CPSC-CH-C1001-09.3, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Item	Unit	MDL		Limit			
			1	3	4	5	LIIIIL
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Diisobutyl Phthalate(DIBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Conclusion	1	1	Pass	Pass	Pass	Pass	

\*\*\*\*\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)69# Pulongcun,Puxinhu Industrial Zone,Tangxia Town Dongguan, Guangdong, ChinaTel: +86-769-86858888Fax: +86-769-86858891





### REPORT No.: R2SH160628F0387E

Date: July 12, 2016

Page 8 of 10

ltem	Unit	MDL		Limit			
			6	11	12	13	LIIIII
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Diisobutyl Phthalate(DIBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Conclusion	1	1	Pass	Pass	Pass	Pass	

ltem	Unit	MDL		Limit			
litem	Unit		14	15	16	17	LIIIII
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Diisobutyl Phthalate(DIBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Conclusion	1	1	Pass	Pass	Pass	Pass	

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69 # Pulongcun,Puxinhu Industrial Zone,Tangxia Town Dongguan, Guangdong, China Tel: +86-769-86858888 Fax: +86-769-86858891





### REPORT No.: R2SH160628F0387E

Date: July 12, 2016

Page 9 of 10

Item	Unit	MDL		Limit		
	Onit		21	23	25	Liiiit
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	N.D.	0.1
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	N.D.	N.D.	N.D.	0.1
Diisobutyl Phthalate(DIBP)	%	0.003	N.D.	N.D.	N.D.	0.1
Conclusion	1	1	Pass	Pass	Pass	

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- mg/kg = ppm
- Photo appendix is included.

\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.






### REPORT No.: R2SH160628F0387E

Date: July 12, 2016

Page 10 of 10

Photograph of Sample



BACL authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.